## MESMERIZING SIZES I N S P I R E D B Y N A T U R E











# EARTH INSPIRED DESIGNS...

Along with the varieties in design. varieties in size play an important part in developing a distinct collection. As you know, Vetican leaves no stone unturned when it comes to fulfilling the consumer's needs. Here is an exciting new collection of the size that everyone accepted with a warm heart and broad mind 80x320cm.

SERIES NAME - 80x160cm is our latest collection that is developed after studying the trends thoughtfully. The balence between cold designs and warm designs has been maintained carefully for you to be able to choose the best suitable design for your dream space.



#### CARVING GLOSSY MATT




CARVING GLOSSY MATT

#### 1200X3200MM

This collection of marble slab surfaces is a versatile one as it is not bound by its application or usage criteria. It has the innate features of being an integral part of your interiors without any problem. With a stain-resistant and water-resistant surface, marble slab is ideal for application in all indoor areas including the flooring, counter tops and even furniture.









#### **APPLICATION AREAS**



**KITCHEN COUNTER TOP** 

**STAIRCASE** 







OFFICE TABLE



LIVING ROOM



**FURNITURE** 



TABLE TOP



#### **TECHNICAL FEATURES**



LIGHT WEIGHT



**EASY TO CLEAN** 



WATER

**PROOF** 

BENDING

100% NATURAL







**RESISTANT TO HIGH TEMPERATURES** 



**RESISTANT TO UV RAYS** 





RECYCLABLE



HYGIENIC

#### **EDGE PROFILES**







Rounded straight edge



Half bullnoss



Full bullnoss



Rounded edge at 45°

Straight squared

Demi bullnoss



Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich counter tops for your space.

#### **JOINT POSSIBILITIES**









Birds beak

Soft corner





**ANTICO** 

**CREMA** 

FINISHES.

800X2400MM

RANDOM.

03

120X 320CM

80X 320CM



COSMOS

WHITE

FINISHES.

800X2400MM

RANDOM.

02

120X 320CM















#### ARMANI BROWN

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM


> 120X 280CM

80X 320CM 120X 240CM

RANDOM.







#### GOLDEN STATUARIO

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





#### ARMANI GREY

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





**MILANO** 

WHITE

FINISHES.


800X2400MM

RANDOM.

02

120X 320CM

80X 320CM



#### ARMANI GRIS

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





ORO

**BIANCO** 

FINISHES.

800X2400MM

RANDOM.

120X 320CM

80X 320CM



#### **BEACON BLACK**

FINISHES. GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM


120X 280CM

80X 320CM

RANDOM.







**PALLISANDRO** 

**WHTIE** 

FINISHES.


800X2400MM

RANDOM.

03

120X 320CM

80X 320CM



#### SPIDER GOLD

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





## BIXBITE GREY

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





#### STATUARIO ANTICO

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





#### BLACK MARQUNA

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.



















Dimensional Stability

aintenance Free



**BLACK** 

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

120X 280CM


120X 240CM


80X 320CM

80X 240CM

RANDOM.







**STATUARIO** 

**DIOR** 

FINISHES.


800X2400MM

RANDOM.

03

120X 320CM

80X 320CM



**BLUE** 

**AGATHA** 

FINISHES.


800X2400MM

RANDOM.

02

120X 320CM


80X 320CM



**FAME** 

SIZES.

02



## STATUARIO VENICE

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





#### BRECCIA BEIGE

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





## BIXBITE BIANCO

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





#### BRECCIA BM

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.















#### **BRECCIA NATURAL**


FINISHES. GLOSSY | MATT | CARVING


SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

RANDOM.



















#### COLONIAL BLACK

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM


> 120X 280CM

80X 320CM

RANDOM.







#### **CHOCOLATE**

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.

















#### **COFFEE**

FINISHES.

GLOSSY | MATT | CARVING


SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

RANDOM.




























Stability

aintenance Free



#### **WHITE**

FINISHES.

GLOSSY | MATT | CARVING


SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

RANDOM.












80X 240CM



#### **SILVER**

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





CREMA MONTANA | 1200X3200MM

### CREMA MONTANA

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM 120X 240CM 80X 240CM

RANDOM.





### FOSSIL BROWN

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





**CRYSTAL** 

FINISHES.

800X2400MM

RANDOM.


03

120X 320CM

80X 320CM

SIZES.

**ICE** 



#### ELECTRA BLACK

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





### ELECTRA BLUE

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.

02



### FLURY GREY

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





**FOSSIL** 

**BLACK** 

FINISHES.

800X2400MM


RANDOM.

03

120X 320CM

80X 320CM

SIZES.



### GLACIER BEACH

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





INFINITO AZUL | 1200X3200MM

#### INFINITO AZUL

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM 120X 240CM 80X 240CM

RANDOM.



















#### INFINITO BROWN

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM


> 120X 280CM

80X 320CM 120X 240CM

RANDOM.







**JERICO** 

**CREMA** 

FINISHES.

800X2400MM


RANDOM.


03

120X 320CM

80X 320CM

SIZES.





# LIVANTO ORSINO

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.






















FINISHES. GLOSSY | MATT | CARVING


SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

RANDOM.














**LUMIX** 

**IVORY** 

FINISHES.

800X2400MM

RANDOM.

120X 320CM

80X 320CM

SIZES.



### **MASCARA**

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





MATALIX BLUE | 1200X3200MM

### MATALIX BLUE

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM


> 120X 280CM

120X 240CM

80X 320CM 80X 240CM

RANDOM.





#### ONYX GOLD

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





### ROMAN GREY

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





### SAINT LAURENT

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





### STATUARIO ALTISSMO

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





### STATUARIO BRAZILIAN

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





### DETROIT FABIA

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.





#### STATUARIO CALASTA

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM

RANDOM.















#### **TERRAZZO BIANCO**

FINISHES. GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM


120X 280CM

80X 320CM

RANDOM.







### PORTORO BLACK

FINISHES.

GLOSSY | MATT | CARVING

SIZES.


1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM


> 120X 280CM

80X 320CM

RANDOM.







**STATUARIO** 

**UNICO** 

FINISHES.

800X2400MM


RANDOM.

02

120X 320CM

80X 320CM

SIZES.



#### VOLGA BLUE

FINISHES.

GLOSSY | MATT | CARVING

SIZES.

1200X3200MM | 800X3200MM 1200X2800MM | 1200X2400MM 800X2400MM

> 120X 280CM

80X 320CM


RANDOM.




#### **MANUALLY TRANSPORTING IMMODERATE**


Only for 1/4" Slabs

#### **MOVING A IMMODERATE TILE**






#### RAISING A IMMODERATE TILE ONTO A BENCH



#### HANDLING IMMODERATE TILE FOR WALL



#### **WORKING WITH THE VARIOUS VERSIONS OF IMMODERATE**

#### **CUTTING WITH DIAMOND DISCS**





Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). Itmay be required to cool the disc with water. Recommended discs are the thin typesgenerally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath

#### **DRILLING**





You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, electrical drills as an alternative.

#### INTERNAL CUT / L-SHAPED CUT





To get internal and L-shaped corners & to reduce the risk of breakage. round o the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.

When using these tools:
-Cool the point being drilled with water
-Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
-If you are using tungsten bits, start drilling at a low speed
-If you are using drills or screwdrivers, do not select hammering mode

#### **EDGE - FINISHING**







#### **TECHNICAL TABLE**

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
	REGULATORY PR	ROPERTIES	
Deviation in Length & Width	<u>+</u> 0.5%	±0.2% ±5% ±0.2% ±0.2%	ISO 10545-2 ISO 10545-2 ISO 10545-2 ISO 10545-2
Deviation in Thickness	<u>+</u> 5%		
Straightness of Sides	<u>+</u> 0.5% <u>+</u> 0.5%		
Rectangularity			
Surface Flatness	<u>+</u> 0.5%	<u>+</u> 0.3%	ISO 10545-2
Color Difference	ΔE<1.00	△E<0.30	ISO 10545-16
Glossiness	As per Mfg.	>90%	Gloss Meter 60
	STRUCTURAL PR	ROPERTIES	
Water Absorption	≤0.5 %	≤0.06 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
	MASSIVE MECHANICA	AL PROPERTIES	
Modulus of Repture	Min 35N/mm²	Min.40N/mm²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 7200 N	ISO 10545-4
mpact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
	SURFACE MECHANIC	AL PROPERTIES	
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
	THERMO HYGROMETE	RIC PROPERTIES	
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.0x10 <sup>-6</sup>	ISO 10545-8
	CHEMICAL PRO	DPERTIES	
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
	SAFETY PROF	PERTIES	
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

#### **PACKING DETAILS**

	TILE SIZE	THICKNESS	NO. OF TILES/BOX	WEIGHT/BOX (approx.)	COVERAGE AREA
	1200X3200MM	15 mm	1 Pcs	67 kg.	20.67 Sq. Ft.

# **EDGE PROFILES**



Double straight rounded edge



Rounded straight edge





Full bullnoss



Straight squared edge



Double straight Squared edge



Rounded edge at 45°



Squared edge at 45°





Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich counter tops for your space.

## **JOINT POSSIBILITIES**





Birds beak 45°Corner

Soft corner